



By  **accessiBe**

WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [sliquid.com](https://sliquid.com) | Verdict : Compliant!

---

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **sliquid.com** as of April 14, 2021, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the visually impaired).



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
1	<p>The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.</p> <p><b>Code snapshots of some successful elements</b></p> <ul style="list-style-type: none"><li>&lt;title&gt;Sliquid Natural Intimate Products&lt;/title&gt;</li></ul>	Yes	Pass	-	100%
2	<p>The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.</p> <p><b>Code snapshots of some successful elements</b></p> <ul style="list-style-type: none"><li>&lt;html lang="en-US" class="jetpack-lazy-images-js-enabled acsb-light-contrast"&gt;&lt;head&gt;&lt;meta name="acsbToken" content="zjdmMkOgG2FCDpU4yr9WgeLMtzQiZTToyQqpiMwaeas4RHxITI"&gt;&lt;meta name="acsbClient" content="true"&gt;&lt;meta content="https://sliquid.com" name="a...</li></ul>	Yes	Pass	-	100%
3	<p>The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.</p> <p><b>Code snapshots of some successful elements</b></p> <ul style="list-style-type: none"><li>&lt;meta name="viewport" content="width=device-width, initial-scale=1"&gt;</li></ul>	Yes	Pass	-	100%
4	<p>Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.</p>	Yes	2	0	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<main id="main" class="site-main" role="presentation"><article id="post-269365" class="post-269365 page type-page status-publish hentry"><header class="entry-header" aria-hidden="true" ><h2 class="entry-title " >Sliquid Natural Intimate Products</h2...`
- `<div id="footer-widget-area" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="container d-none d-sm-block"> <div class="inner-wrapper"> <aside class="footer-column foote...`

5	<a href="#">Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.</a>	Yes	11	0	100%
---	---	-----	----	---	------

## Code snapshots of some successful elements

- `<button type="button" data-role="none" class="slick-prev slick-arrow acsb-bg-image " aria-label="Previous" role="button" style="display: inline-block;" >Previous</button>`
- `<button type="button" data-role="none" class="slick-next slick-arrow acsb-bg-image " aria-label="Next" role="button" style="display: inline-block;" >Next</button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data="true" " aria-label=" Next carousel slide 1 " aria-hidden="false" >Next carousel slide 1</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data="true" " aria-label=" Next carousel slide 2 " aria-hidden="false" >Next carousel slide 2</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data="true" " aria-label=" Next carousel slide 3 " aria-hidden="false" >Next carousel slide 3</span></button>`



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
	<ul style="list-style-type: none"><li><code>&lt;button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"&gt;&lt;span data-="true" " aria-label=" Next carousel slide 4 " aria-hidden="false"&gt;Next carousel slide 4&lt;/span&gt;&lt;/button&gt;</code></li><li><code>&lt;button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"&gt;&lt;span data-="true" " aria-label=" Next carousel slide 5 " aria-hidden="false"&gt;Next carousel slide 5&lt;/span&gt;&lt;/button&gt;</code></li><li><code>&lt;button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"&gt;&lt;span data-="true" " aria-label=" Next carousel slide 6 " aria-hidden="false"&gt;Next carousel slide 6&lt;/span&gt;&lt;/button&gt;</code></li><li><code>&lt;button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"&gt;&lt;span data-="true" " aria-label=" Next carousel slide 7 " aria-hidden="false"&gt;Next carousel slide 7&lt;/span&gt;&lt;/button&gt;</code></li><li><code>&lt;input type="submit" id="newsletter_subscribe" class="button alt " value="Subscribe" style="" role="button" aria-label="Subscribe"&gt;</code></li></ul>				
6	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	11	0	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<button type="button" data-role="none" class="slick-prev slick-arrow acsb-bg-image " aria-label="Previous" role="button" style="display: inline-block;" >Previous</button>`
- `<button type="button" data-role="none" class="slick-next slick-arrow acsb-bg-image " aria-label="Next" role="button" style="display: inline-block;" >Next</button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 1 " aria-hidden="false" >Next carousel slide 1</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 2 " aria-hidden="false" >Next carousel slide 2</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 3 " aria-hidden="false" >Next carousel slide 3</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 4 " aria-hidden="false" >Next carousel slide 4</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 5 " aria-hidden="false" >Next carousel slide 5</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 6 " aria-hidden="false" >Next carousel slide 6</span></button>`
- `<button type="button" data-role="none" role="button" class=" " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 7 " aria-hidden="false" >Next carousel slide 7</span></button>`
- `<input type="submit" id="newsletter_subscribe" class="button alt " value="Subscribe" style="" role="button" aria-label="Subscribe">`



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
7	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	20	0	100%

## Code snapshots of some successful elements

- `<a class="j-image" href="https://www.instagram.com/p/CMrvEtAAYoQ/" target="_blank" data-acsb-tooltip="New Window" ><span data-="true" " aria-label=" Instagram " aria-hidden="false" >InstagramNew Window</span><div class="j-living-wall-hover" aria-h...`
- `<a class="j-image" href="https://www.instagram.com/p/CMpJCl_g3Mw/" target="_blank" data-acsb-tooltip="New Window" ><span data-="true" " aria-label=" Instagram " aria-hidden="false" >InstagramNew Window</span><div class="j-living-wall-hover" aria-h...`
- `<a class="j-image" href="https://www.instagram.com/p/CMmo3CkgWZc/" target="_blank" data-acsb-tooltip="New Window" ><span data-="true" " aria-label=" Instagram " aria-hidden="false" >InstagramNew Window</span><div class="j-living-wall-hover" aria-h...`
- `<a class="j-image" href="https://www.instagram.com/p/CMj-4tvgrzM/" target="_blank" data-acsb-tooltip="New Window" ><span data-="true" " aria-label=" Instagram " aria-hidden="false" >InstagramNew Window</span><div class="j-living-wall-hover" aria-h...`
- `<a class="j-image" href="https://www.instagram.com/p/CMh-OjPFxmV/" target="_blank" data-acsb-tooltip="New Window" ><span data-="true" " aria-label=" Instagram " aria-hidden="false" >InstagramNew Window</span><div class="j-living-wall-hover" aria-h...`





# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
	<ul style="list-style-type: none"><li>• <code>&lt;a class="j-image" href="https://www.instagram.com/p/CMfZX_bF656/" target="_blank" data-acsb-tooltip="New Window" &gt;&lt;span data-="true" " aria-label=" Instagram " aria-hidden="false" &gt;InstagramNew Window&lt;/span&gt;&lt;div class="j-living-wall-hover" aria-h...</code></li><li>• <code>&lt;a class="j-image" href="https://www.instagram.com/p/CMcSaSZgmmG/" target="_blank" data-acsb-tooltip="New Window" &gt;&lt;span data-="true" " aria-label=" Instagram " aria-hidden="false" &gt;InstagramNew Window&lt;/span&gt;&lt;div class="j-living-wall-hover" aria-h...</code></li><li>• <code>&lt;a class="j-image" href="https://www.instagram.com/p/CMZ7OrZrKsR/" target="_blank" data-acsb-tooltip="New Window" &gt;&lt;span data-="true" " aria-label=" Instagram " aria-hidden="false" &gt;InstagramNew Window&lt;/span&gt;&lt;div class="j-living-wall-hover" aria-h...</code></li><li>• <code>&lt;a class="j-image" href="https://www.instagram.com/p/CMXFNCGL-Q0/" target="_blank" data-acsb-tooltip="New Window" &gt;&lt;span data-="true" " aria-label=" Instagram " aria-hidden="false" &gt;InstagramNew Window&lt;/span&gt;&lt;div class="j-living-wall-hover" aria-h...</code></li><li>• <code>&lt;a class="j-image" href="https://www.instagram.com/p/CMVGP5SrZrZ/" target="_blank" data-acsb-tooltip="New Window" &gt;&lt;span data-="true" " aria-label=" Instagram " aria-hidden="false" &gt;InstagramNew Window&lt;/span&gt;&lt;div class="j-living-wall-hover" aria-h...</code></li></ul>				
8	<a href="#">Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.</a>	Yes	54	0	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<a class="skip-link screen-reader-text " href="#content" aria-hidden="false" data-="true" data-="true" ">Skip to content</a>`
- `<a href="https://sliquid.com/" class="custom-logo-link" rel="home" aria-current="page" data-acsb-scrape-url="https://sliquid.com/"><span class="ubermen...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-news/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-tar...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/reviews/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-target-t...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-faq/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-targ...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" title="The Sliquid Story" href="https://sliquid.com/about-sliquid/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/contact-us/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-targe...`
- `<a class="ubermenu-target ubermenu-target-with-icon ubermenu-item-layout-default ubermenu-item-layout-icon_left ubermenu-item-notext" href="/my-account/" ><span data-="true" " aria-label=" Account " aria-hidden="false" >Account</span><i class="ube...`





# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
9	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	7	0	100%
<b>Code snapshots of some successful elements</b>					
<ul style="list-style-type: none"><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-products/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Us...</code></li><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-retailers/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"&gt;&lt;span class="ubernem...</code></li><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-news/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"&gt;&lt;span class="ubernenu-tar...</code></li><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/reviews/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"&gt;&lt;span class="ubernenu-target-t...</code></li><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-faq/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"&gt;&lt;span class="ubernenu-targ...</code></li><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" title="The Sliquid Story" href="https://sliquid.com/about-sliquid/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false...</code></li><li><code>&lt;a class="ubernenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/contact-us/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"&gt;&lt;span class="ubernenu-targe...</code></li></ul>					
10	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	7	0	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-products/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Us...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-retailers/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermen...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-news/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-tar...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/reviews/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-target-t...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/sliquid-faq/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-targ...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" title="The Sliquid Story" href="https://sliquid.com/about-sliquid/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false...`
- `<a class="ubermenu-target ubermenu-item-layout-default ubermenu-item-layout-text_only" href="https://sliquid.com/contact-us/" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="ubermenu-targe...`

11	<a href="#">Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.</a>	Yes	3	0	100%
----	--	-----	---	---	------



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<nav id="ubermenu-main-49-menu-1-2" class="ubermenu ubermenu-main ubermenu-menu-49 ubermenu-loc-menu-1 ubermenu-responsive ubermenu-responsive-default ubermenu-mobile-modal ubermenu-responsive-collapse ubermenu-horizontal ubermenu-transition-shift ub...`
- `<ul id="menu-customer-service-menu" class="menu" data-acsb-menu="ul" ><li id="menu-item-270107" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-270107" data-acsb-menu="li" data-acsb-menu-root="true"><a title="navigation" href=...`
- `<ul id="menu-discover-menu" class="menu" data-acsb-menu="ul" ><li id="menu-item-270113" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-270113" data-acsb-menu="li" data-acsb-menu-root="true"><a title="navigation" href="https...`

12	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
----	--	----	---	---	---

13	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Code snapshots of some successful elements

- `<h1 class="has-text-align-center header-simple-safe-sexy " id="h-simple-safe-sexy" style="font-size:65px">Simple. Safe. Sexy.</h1>`

14	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	11	0	100%
----	---	-----	----	---	------

15	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
----	--	----	---	---	---



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
16	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
17	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0	100%
<b>Code snapshots of some successful elements</b>					
<ul style="list-style-type: none"><li><code>&lt;button type="button" data-role="none" class="slick-prev slick-arrow acsb-bg-image " aria-label="Previous" role="button" style="display: inline-block;" &gt;Previous&lt;/button&gt;</code></li><li><code>&lt;button type="button" data-role="none" class="slick-next slick-arrow acsb-bg-image " aria-label="Next" role="button" style="display: inline-block;" &gt;Next&lt;/button&gt;</code></li></ul>					
18	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
19	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	7	0	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 1 " aria-hidden="false">Next carousel slide 1</span></button>`
- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 2 " aria-hidden="false">Next carousel slide 2</span></button>`
- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 3 " aria-hidden="false">Next carousel slide 3</span></button>`
- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 4 " aria-hidden="false">Next carousel slide 4</span></button>`
- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 5 " aria-hidden="false">Next carousel slide 5</span></button>`
- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 6 " aria-hidden="false">Next carousel slide 6</span></button>`
- `<button type="button" data-role="none" role="button" class="" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 7 " aria-hidden="false">Next carousel slide 7</span></button>`

20	<a href="#">Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.</a>	No	0	0	-
21	<a href="#">Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.</a>	No	0	0	-



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
22	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
23	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
24	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
25	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	63	0	100%

## Code snapshots of some successful elements

- `<span class="ubernu-target-title ubernu-target-text ">Products</span>`
- `<span class="ubernu-target-title ubernu-target-text ">Retailers</span>`
- `<span class="ubernu-target-title ubernu-target-text ">News</span>`
- `<span class="ubernu-target-title ubernu-target-text ">Reviews</span>`
- `<span class="ubernu-target-title ubernu-target-text ">FAQ</span>`
- `<span class="ubernu-target-title ubernu-target-text ">About Sliquid</span>`
- `<span class="ubernu-target-title ubernu-target-text ">Contact</span>`
- `<strong>0</strong>`
- `<h1 class="has-text-align-center header-simple-safe-sexy " id="h-simple-safe-sexy" style="font-size:65px">Simple. Safe. Sexy.</h1>`
- `<h2 class="has-text-align-center best-sellers-header " id="h-best-sellers">Best-Sellers</h2>`





# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
26	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
27	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	20	0	100%

## Code snapshots of some successful elements

- ``
- ``
- ``
- ``
- ``



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
	<ul style="list-style-type: none"><li><code>&lt;img alt="Photo from @sliquid on Instagram on sliquid at 3/16/21 at 2:00PM" class="j-content-image" src="https://img.juicer.io/ig/image/CMfZX_bF656?s=0e5726319b2d85031a309592021b58ca0bf4fe86" tabindex="0" &gt;</code></li><li><code>&lt;img alt="Photo from @sliquid on Instagram on sliquid at 3/15/21 at 9:01AM" class="j-content-image" src="https://img.juicer.io/ig/image/CMcSaSZgmmG?s=90dc4e18c2001d8de15a81f848be88a764ebae3f" tabindex="0" &gt;</code></li><li><code>&lt;img alt="Photo from @sliquid on Instagram on sliquid at 3/14/21 at 11:00AM" class="j-content-image" src="https://img.juicer.io/ig/image/CMZ7OrZrKsR?s=89de2f099222cd99359838adabd5c59da7cfaa48" tabindex="0" &gt;</code></li><li><code>&lt;img alt="Photo from @sliquid on Instagram on sliquid at 3/13/21 at 7:30AM" class="j-content-image" src="https://img.juicer.io/ig/image/CMXFNCGL-Q0?s=f43daadf2a2a3bfa5db91b3f99521ff139755e50" tabindex="0" &gt;</code></li><li><code>&lt;img alt="Photo from @sliquid on Instagram on sliquid at 3/12/21 at 1:00PM" class="j-content-image" src="https://img.juicer.io/ig/image/CMVGP5SrRZ?s=78da45cfcb873eda01e783c4a2029579728d62c4" tabindex="0" &gt;</code></li></ul>				
28	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
29	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
30	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
31	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
32	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	2	0	100%
<b>Code snapshots of some successful elements</b>					
<ul style="list-style-type: none"><li><code>&lt;img width="400" height="100" src="https://sliquid.com/wp-content/uploads/2020/11/cropped-sliquid-main-logo.png" class="custom-logo jetpack-lazy-image jetpack-lazy-image--handled" data-attachment-id="269509" data-permalink="https://sliquid.com/croppe...</code></li><li><code>&lt;img width="300" height="75" src="https://sliquid.com/wp-content/uploads/2020/11/sliquid-main-logo-1-300x75.png" class="image wp-image-269516 attachment-medium size-medium jetpack-lazy-image jetpack-lazy-image--handled" alt="Sliquid Logo" loading="ea...</code></li></ul>					
33	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
34	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	81	0	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<i class="fas fa-bars" aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<i class="ubermenu-sub-indicator fas fa-angle-down" aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<span class="ubermenu-sub-indicator-close" aria-hidden="true" data-acsb-force-hidden="true" ><i class="fas fa-times" aria-hidden="true" data-acsb-force-hidden="true" ></i></span>`
- `<i class="fas fa-times" aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<span class="ubermenu-sub-indicator-close" aria-hidden="true" data-acsb-force-hidden="true" ><i class="fas fa-times" aria-hidden="true" data-acsb-force-hidden="true" ></i></span>`
- `<i class="fas fa-times" aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<i class="ubermenu-icon fas fa-user" aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<i class="fab fa-instagram " aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<i class="fab fa-twitter " aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<i class="fab fa-facebook-f " aria-hidden="true" data-acsb-force-hidden="true" ></i>`

35	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Code snapshots of some successful elements

- `<figure class="wp-block-image alignwide size-full sliquid101 is-style-rounded" role="none"><a href="https://sliquid.com/sliquid-101/" ><img data-attachment-id="343852" data-permalink="https://sliquid.com/front-page/quiz-header-rounded/" data-orig-f...`



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
36	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
37	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
38	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	Yes	Pass	-	100%
<b>Code snapshots of some successful elements</b>					
<ul style="list-style-type: none"><li><code>&lt;input id="email" name="newsletter_email" type="email" placeholder="Email address" required="true" data-acsb-textual-type="email" data-acsb-validation-uuid="email" data-acsb-field-visible="true" aria-required="true" aria-invalid="true" data-acsb-l...</code></li></ul>					
39	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
<b>Code snapshots of some successful elements</b>					
<ul style="list-style-type: none"><li><code>&lt;form id="subscribeform" class="woocommerce" method="post" data-acsb-form-uuid="azzv1dx8lpvp" data-acsb-form-type="standard"&gt; &lt;input type="hidden" id="_wpnonce" name="_wpnonce" value="fe504d7174" aria-hidden="true" tabindex="-1" &gt;&lt;input type="hi...</code></li></ul>					
40	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	Yes	Pass	-	100%



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<input id="email" name="newsletter_email" type="email" placeholder="Email address" required="true" data-acsb-textual-type="email" data-acsb-validation-uuid="email" data-acsb-field-visible="true" aria-required="true" aria-invalid="true" data-acsb-l...`

41	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%
----	--	-----	------	---	------

## Code snapshots of some successful elements

- `<input id="email" name="newsletter_email" type="email" placeholder="Email address" required="true" data-acsb-textual-type="email" data-acsb-validation-uuid="email" data-acsb-field-visible="true" aria-required="true" aria-invalid="true" data-acsb-l...`

42	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

43	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	9	0	100%
----	---	-----	---	---	------





# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

## Code snapshots of some successful elements

- `<div class="wpls-logo-cnt slick-slide" data-slick-index="0" style="width: 344px;" aria-describedby="slick-slide00" aria-hidden="true" tabindex="-1" role="option" > <div class="wpls-fix-box" >  <div class="wpls-fix-box">  <div class="wpls-fix-box"> <img class="wp-post-image"...`
- `<div class="wpls-logo-cnt slick-slide slick-active" data-slick-index="3" style="width: 344px;" aria-describedby="slick-slide03" aria-hidden="false" tabindex="-1" role="option"> <div class="wpls-fix-box">  <div class="wpls-fix-box">  <div class="wpls-fix-box">  <div class="wpls-fix-box" aria-hidden="true" >  <div class="card-body" > <div id="nav_menu-2" class="widget footer-widg...`
- `<div id="collapseTwo" class="collapse " aria-labelledby="headingTwo" data-parent="#accordionExample" > <div class="card-body" > <div id="nav_menu-3" class="widget footer-widg...`



# WCAG 2.1 AA Level Web Accessibility Audit

Website: sliquid.com | Verdict : Compliant! | Date: April 14, 2021

#	Requirement	Relevant	Successes	Failures	Score
44	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
45	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
46	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
47	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that visually impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-