

Scan results for **sliquid.com**

Accessible

Congratulations! Your webpage is accessible with a score above 85. We'd love to work with you to help close any remaining accessibility gaps.

Thu Jan 1, 2026



accessWidget is detected on the website

#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	51	0	100

Code snapshots of successful elements

1 `<button aria-pressed="false" tabindex="-1" class="screen-reader-button ">Use Website In a Screen-Reader Mode</button>`

2 `<button part="acsb-trigger" data-testid="acsb-trigger" aria-label="Open accessibility options, statement and help" tabindex="0" class="trigger-button trigger-button--visible trigger-button--actions-active size-medium position-x-right posit...`

3 `<a class="skip-link screen-reader-text role="button" data-custom-button-processed="true">Skip to content</a>`

4 `<span class="prev_custom mr-4 md:w-[53px] md:h-[53px] md:leading-[53px] w-10 h-10 leading-10 text-lg text-center rounded-full cursor-pointer" tabindex="0" role="button" aria-label="color: white"></span>`

5 `<span class="next_custom md:w-[53px] md:h-[53px] md:leading-[53px] w-10 h-10 leading-10 text-lg text-center rounded-full cursor-pointer" tabindex="0" role="button" aria-label="color: white"></span>`

6 `<button class="woosw-btn woosw-btn-11126 woosw-btn-has-icon woosw-btn-icon-only" data-id="11126" data-product_name="Natural - Sliquid Organics" data-product_image="https://sliquid.com/wp-content/uploads/2025/03/Organics-Natural-Group-150x150.png" ari...`

7 `<button class="woosw-btn woosw-btn-11131 woosw-btn-has-icon woosw-btn-icon-only" data-id="11131" data-product_name="Natural Gel - Sliquid Organics" data-product_image="https://sliquid.com/wp-content/uploads/2025/03/Organics-Natural-Gel-group-150x150....`

8 `<button class="woosw-btn woosw-btn-11098 woosw-btn-has-icon woosw-btn-icon-only" data-id="11098" data-product_name="Sassy - Sliquid Naturals" data-product_image="https://sliquid.com/wp-content/uploads/2025/03/SassyGroup-1-150x150.png" aria-label="Add...`

9 <button class="woosw-btn woosw-btn-11093 woosw-btn-has-icon woosw-btn-icon-only" data-id="11093" data-product_name="H2O - Sliquid Naturals" data-product_image="https://sliquid.com/wp-content/uploads/2025/03/H2OGroup-850x850-1-150x150.webp" aria-label...

10 <button class="woosw-btn woosw-btn-11100 woosw-btn-has-icon woosw-btn-icon-only" data-id="11100" data-product_name="Sea - Sliquid Naturals" data-product_image="https://sliquid.com/wp-content/uploads/2025/03/sea-group-copy-150x150.jpg" aria-label="Add..."

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	55	0	100

Code snapshots of successful elements

1 `<button aria-pressed="false" tabindex="-1" class="screen-reader-button ">Use Website In a Screen-Reader Mode</button>`

2 `<button part="acsb-trigger" data-testid="acsb-trigger" aria-label="Open accessible: accessibility options, statement and help" tabindex="0" class="trigger-button trigger-button--visible trigger-button--actions-active size-medium position-x-right posit...`

3 `<a id="CybotCookiebotDialogBodyEdgeMoreDetailsLink" href="#" class="acsb-outline-contrast style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true" role="button">Show details</a>`

4 `<button id="CybotCookiebotDialogBodyLevelButtonAccept" class="CybotCookiebotDialogBodyButton style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">OK</button>`

5 `<a href="#" onclick="event.preventDefault(); document.getElementById('liquid-scheduled-notice').style.display = 'none';" style="undefined; position: absolute; top: 50%; right: 20px; transform: translateY(-50%); color: #ffffff; text-decoration: none;...`

6 `<a class="skip-link screen-reader-text role="button" data-custom-button-processed="true">Skip to content</a>`

7 `<span class="menu_close w-6 h-4 overflow-hidden relative lg:ml-4 lg:mr-[30px] mr-5 cursor-pointer" role="button" aria-label="Close" tabindex="0"> <i class="line icon-1 top-0"></i> <i class="line icon-2 top-[7px]"></i> <i class="line icon-3 bottom-0">...</i>`

8 `<button class="button-icon btn-search absolute flex items-center justify-center w-[70px] h-[52px] text-center md:-right-[2px] right-0 -top-[2px] duration-300" type="submit" data-custom-button-processed="true"> <span class="search-icon rbb-icon-search...`

9 `<div class="rbb-account-icon-wrap relative duration-300 cursor-pointer bg-white h-[50px] w-[50px] flex items-center justify-center" role="button" aria-label="Account" tabindex="0"> <span class="rbb-account-icon cursor-pointer duration-300 rbb-icon-hu...`

10 `<button onclick="RisingBambooModal.modal('.rbb-mini-cart-canvas', event)" class="border-none button-icon h-[46px] min-w-[45px] md:justify-center justify-end flex items-center text-center relative bg-transparent p-0 inline-flex justify-center w-full t...`

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	57	0	100

Code snapshots of successful elements

1 `<a href="https://www.cookiebot.com/en/what-is-behind-powered-by-cookiebot/" rel="noopener nofollow" target="_blank" id="CybotCookiebotDialogPoweredbyCybot" data-custom-button-processed="true"><span class="acsb-sr-only">Usercentrics Cookiebot - opens ...`

2 `<a class="inline-block" href="https://sliquid.com" data-custom-button-processed="true">  <span class="acsb-sr-only">wishlist</span><span class="..."`

4 `<a href="/end-of-year-clearance-sale" class="main-header-clickable-link" data-custom-button-processed="true"> <!-- Image for Desktop and Tablet --> <img width="1920" height="980" decoding="async" class="main-header-image main-header-desktop-img enter..."`

5 `<a href="https://sliquid.com/product/natural-sliquid-organics/" class="product_name line-clamp-2 block xl:text-base text-[0.8125rem] font-bold md:mb-6 mb-2 style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-proces...`

6 `<a href="https://sliquid.com/product/natural-sliquid-organics/" data-quantity="1" class="button product_type_variable add_to_cart_button" data-product_id="11126" data-product_sku="" aria-label="Select options for "Natural - Sliquid Organics"" rel="no...`

7 `<a href="https://sliquid.com/product/natural-gel-sliquid-organics/" class="product_name line-clamp-2 block xl:text-base text-[0.8125rem] font-bold md:mb-6 mb-2 style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-pr...`

8 `<a href="https://sliquid.com/product/natural-gel-sliquid-organics/" data-quantity="1" class="button product_type_variable add_to_cart_button" data-product_id="11131" data-product_sku="" aria-label="Select options for "Natural Gel - Sliquid Organics""...`

9 `<a href="https://sliquid.com/product/sassy-sliquid-naturals/" class="product_name line-clamp-2 block xl:text-base text-[0.8125rem] font-bold md:mb-6 mb-2 style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processe...`

10 `<a href="https://sliquid.com/product/sassy-sliquid-naturals/" data-quantity="1" class="button product_type_variable add_to_cart_button" data-product_id="11098" data-product_sku="" aria-label="Select options for "Sassy - Sliquid Naturals"" rel="nofollow...`

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	8	0	100

Code snapshots of successful elements

```
1 <a href="https://accessibe.com/blog/knowledgebase/screen-reader-guide" target="_blank" rel="noopener" tabindex="-1" class="acsb-sr-only" style="position: absolute; width: 200px; height: 1px; margin-top: -1px; z-index: -1; border: 0px; top: 0px; left:...
```

```
2 <a href="https://www.cookiebot.com/en/what-is-behind-powered-by-cookiebot/" rel="noopener nofollow" target="_blank" id="CybotCookiebotDialogPoweredbyCybot" data-custom-button-processed="true"><span class="acsb-sr-only">Usercentrics Cookiebot - opens ...
```

```
3 <a href="/sliquid-101-quiz/" target="_blank" rel="nofollow" data-custom-button-processed="true"> <img width="1920" height="980" decoding="async" alt="Image" class="inline-block relative elementor-repeater-item-66d2e8f entered lazyloaded" data-lazy-sr...
```

```
4 <a class="elementor-icon elementor-social-icon elementor-social-icon-facebook-f elementor-repeater-item-f7381e7" href="https://www.facebook.com/sliquid/" target="_blank" data-custom-button-processed="true"> <span class="elementor-screen-only">Facebook...
```

```
5 <a class="elementor-icon elementor-social-icon elementor-social-icon-x-twitter elementor-repeater-item-a933ee7" href="https://x.com/sliquid" target="_blank" data-custom-button-processed="true"> <span class="elementor-screen-only">X-twitter</span> <svg...
```

```
6 <a class="elementor-icon elementor-social-icon elementor-social-icon-tiktok elementor-repeater-item-ddb7142" href="https://www.tiktok.com/@sliquid" target="_blank" data-custom-button-processed="true"> <span class="elementor-screen-only">Tiktok</span> ...
```

```
7 <a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-89fa212" href="https://www.instagram.com/sliquid" target="_blank" data-custom-button-processed="true"> <span class="elementor-screen-only">Instagram...
```

```
8 <a class="elementor-icon elementor-social-icon elementor-social-icon-youtube
elementor-repeater-item-ef6be40" href="https://www.youtube.com/user/sliquidit
imate" target="_blank" data-custom-button-processed="true"> <span class="e
lementor-screen-only">...
```

#	Element	Relevant	Successes	Failures	Score
5	An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	14	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	19	0	100

Code snapshots of successful elements

1 `<span class="menu_close w-6 h-4 overflow-hidden relative lg:ml-4 lg:mr-[30px] mr-5 cursor-pointer" role="button" aria-label="Close" tabindex="0"> <i class="line icon-1 top-0"></i> <i class="line icon-2 top-[7px]"></i> <i class="line icon-3 bottom-0">...`

2 `<div class="rbb-account-icon-wrap relative duration-300 cursor-pointer bg-white h-[50px] w-[50px] flex items-center justify-center" role="button" aria-label="Account" tabindex="0"> <span class="rbb-account-icon cursor-pointer duration-300 rbb-icon-hu...`

3 `<span class="prev_custom mr-4 md:w-[53px] md:h-[53px] md:leading-[53px] w-10 h-10 leading-10 text-lg text-center rounded-full cursor-pointer" tabindex="0" role="button" aria-label="color: white"></span>`

4 `<span class="next_custom md:w-[53px] md:h-[53px] md:leading-[53px] w-10 h-10 leading-10 text-lg text-center rounded-full cursor-pointer" tabindex="0" role="button" aria-label="color: white"></span>`

5 `<div class="pro-carousel-arrow arrow-left style=";background-color:#ffffff!important;color:#000000!important;" tabindex="0" role="button"></div>`

6 `<div class="pro-video-item" tabindex="0" role="button" aria-label="color: black"> <video class="hover-video" muted="" loop="" playsinline="" preload="metadata" src="https://sliquid.com/wp-content/uploads/2025/10/A-glimpse-of-tanya-beautyblog-staying..."></div>`

7 `<div class="pro-video-item" tabindex="0" role="button" aria-label="color: black"> <video class="hover-video" muted="" loop="" playsinline="" preload="metadata" src="https://sliquid.com/wp-content/uploads/2025/10/Shop-Sliquid-for-all-your-intimate-nee..."></div>`

8 <div class="pro-video-item" tabindex="0" role="button" aria-label="color: black"> <video class="hover-video" muted="" loop="" playsinline="" preload="metadata" src="https://sliquid.com/wp-content/uploads/2025/10/Unbox-Sea-with-us-Discreet-packagi...

9 <div class="pro-video-item" tabindex="0" role="button" aria-label="color: black"> <video class="hover-video" muted="" loop="" playsinline="" preload="metadata" src="https://sliquid.com/wp-content/uploads/2025/10/Learning-to-enjoy-anal-pleasure-has-to...

10 <div class="pro-carousel-arrow arrow-right style=";background-color:#ffffff!important;color:#000000!important;" tabindex="0" role="button"></div>

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	Yes	3	0	100

Code snapshots of successful elements

1 `<div class="elementor-widget-container" role="navigation"> <div class="elementor-social-icons-wrapper elementor-grid" role="list"> <span class="elementor-grid-item" role="listitem"> <a class="elementor-icon elementor-social-icon elementor-social-icon...`

2 `<div class="elementor-widget-container" role="navigation"> <ul class="elementor-icon-list-items"> <li class="elementor-icon-list-item"> <a href="http s://sliquid.com/sliquid-faq/" data-custom-button-processed="true"> <span class="elementor-icon-list-t...`

3 `<div class="elementor-widget-container" role="navigation"> <ul class="elementor-icon-list-items"> <li class="elementor-icon-list-item"> <a href="http s://sliquid.com/my-account/" data-custom-button-processed="true"> <span class="elementor-icon-list-te...`

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	81	0	100

Code snapshots of successful elements

1 `<path xmlns="http://www.w3.org/2000/sv...`

2 `<svg fill="currentColor" xmlns="http://www.w3.org/2000/svg" xml:space="preserve" viewBox="0 0 105 79" data-testid="base-icon-svg" style="" role="presentation"><path xmlns="http://www.w3.org/2000/svg" d="M12.6 38.9C6 31.9-4.7 42.6 2.3 49.2c8.7 9 17.3 ...`

3 `<span class="text-[length:var(--rbb-scroll-top-icon-size)] text-[color:var(--rbb-scroll-top-icon-color)] rbb-icon-direction-7"></span>`

4 `<span class="woosw-btn-icon woosw-icon-8"></span>`

5 `<div class="star-rating" aria-label="Rated 4.63 out of 5"><span style="width:92.6%;background-color:#ffffff!important;color:#000000!important;" class="acsb-contrast">Rated <strong class="rating">4.63</strong> out of 5</span></div>`

6 `<i class="rbb-icon rbb-icon-shopping-basket-6"></i>`

7 `<div class="star-rating" aria-label="Rated 4.65 out of 5"><span style="width:93%;background-color:#ffffff!important;color:#000000!important;" class="acsb-contrast">Rated <strong class="rating">4.65</strong> out of 5</span></div>`

8 `<div class="star-rating" aria-label="Rated 4.83 out of 5"><span style="width:96.6%;background-color:#ffffff!important;color:#000000!important;" class="acsb-contrast">Rated <strong class="rating">4.83</strong> out of 5</span></div>`

9 `<div class="star-rating" aria-label="Rated 4.81 out of 5"><span style="width:96.2%;background-color:#ffffff!important;color:#000000!important;" class="acsb-contrast">Rated <strong class="rating">4.81</strong> out of 5</span></div>`

10 `<div class="star-rating" aria-label="Rated 4.80 out of 5"><span style="width:96%;background-color:#ffffff!important;color:#000000!important;" class="acsb-contrast">Rated <strong class="rating">4.80</strong> out of 5</span></div>`

#	Element	Relevant	Successes	Failures	Score
21	Figure elements used to display images should have a <code>role="none"</code> attribute, and the image itself should provide a description using the <code>"alt"</code> attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Each <code>"area"</code> element within a <code>map</code> tag should have an <code>"alt"</code> attribute that provides an alternative text description, similar to standard images.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Small or hidden tracking pixel images (used for analytics or marketing) should include a <code>role="none"</code> or <code>role="presentation"</code> attribute to exclude them from screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	Yes	2	0	100

Code snapshots of successful elements

- 1

<input class="input-search s w-full pb-0 border-solid" type="text" placeholder="Enter Your Keyword" value="" name="s" autocomplete="off" aria-invalid="false" aria-required="false" aria-label="Enter Your Keyword">
- 2

<input size="40" maxlength="400" class="wpcf7-form-control wpcf7-email wpcf7-validates-as-required wpcf7-text wpcf7-validates-as-email" aria-required="true" aria-invalid="false" placeholder="Enter your email" value="" type="email" name="your-email" a...

#	Element	Relevant	Successes	Failures	Score
25	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include aria-required="true" to inform screen-reader users of the field's validation.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <input size="40" maxlength="400" class="wpcf7-form-control wpcf7-email wpcf7-
  -validates-as-required wpcf7-text wpcf7-validates-as-email" aria-required="t
  rue" aria-invalid="false" placeholder="Enter your email" value="" type="emai
  l" name="your-email" a...
```

#	Element	Relevant	Successes	Failures	Score
27	aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	Yes	9	0	100

Code snapshots of successful elements

```
1 <div id="CybotCookiebotDialog" name="CybotCookiebotDialog" role="dialog" aria-modal="true" aria-labelledby="CybotCookiebotDialogBodyContentTitle" lang="en" dir="ltr" ng-non-bindable="" data-template="slideup" class="CybotEdge CybotMultilevel CybotCoo...
```

```
2 <div id="CybotCookiebotDialogDetailBodyContentCookieTabsNecessary" class="CollapseCard CybotCookiebotDialogHide" aria-labelledby="CybotCookiebotDialogDetailBodyContentCookieContainerNecessaryCard"><div class="CybotCookiebotDialogDetailBodyContentCook...
```

```
3 <div id="CybotCookiebotDialogDetailBodyContentCookieTabsPreference" class="CollapseCard CybotCookiebotDialogHide" aria-labelledby="CybotCookiebotDialogDetailBodyContentCookieContainerPreferenceCard"><div class="CybotCookiebotDialogDetailBodyContentCo...
```

```
4 <div id="CybotCookiebotDialogDetailBodyContentCookieTabsStatistics" class="CollapseCard CybotCookiebotDialogHide" aria-labelledby="CybotCookiebotDialogDetailBodyContentCookieContainerStatisticsCard"><div class="CybotCookiebotDialogDetailBodyContentCo...
```

```
5 <div id="CybotCookiebotDialogDetailBodyContentCookieTabsAdvertising" class="CollapseCard CybotCookiebotDialogHide" aria-labelledby="CybotCookiebotDialogDetailBodyContentCookieContainerAdvertisingCard"><div class="CybotCookiebotDialogDetailBodyContent...
```

```
6 <div id="CybotCookiebotDialogDetailBodyContentCookieTabsUnclassified" class="CollapseCard CybotCookiebotDialogHide" aria-labelledby="CybotCookiebotDialogDetailBodyContentCookieContainerUnclassifiedCard" aria-expanded="false"><div class="CybotCookiebo...
```

```
7 <div id="CybotCookiebotDialogDetailBodyContentIABv2PurposesBody" class="CollapseCard CybotCookiebotDialogHide aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;">[#IABV2_BODY_PURPOSES#]</div>
```

```
8 <div id="CybotCookiebotDialogDetailBodyContentIABv2FeaturesBody" class="CollapseCard CybotCookiebotDialogHide aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;">[#IABV2_BODY_FEATURES#]</div>
```

```
9 <div id="CybotCookiebotDialogDetailBodyContentIABv2PartnersBody" class="CollapseCard CybotCookiebotDialogHide aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;">[#IABV2_BODY_PARTNERS#]</div>
```

#	Element	Relevant	Successes	Failures	Score
28	Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <div class="relative w-full"> <input class="input-search s w-full pb-0 border-solid" type="text" placeholder="Enter Your Keyword" value="" name="s" autocomplete="off" aria-invalid="false" aria-required="false" aria-label="Enter Your Keyword"> <label ...
```

#	Element	Relevant	Successes	Failures	Score
29	All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	2	1	67

Code snapshots of successful elements

1 `<form role="search" method="get" class="rbb-search-form rbb-ajax-search" action="https://sliquid.com/" data-url="https://sliquid.com/wp-admin/admin-ajax.php" data-noreult="No Result" data-limit="4"> <div class="relative input-group flex bg-white rou...`

2 `<form action="/#wpcf7-f5510-o1" method="post" class="wpcf7-form init" aria-label="Contact form" data-status="init"> <fieldset class="hidden-fields-container"><input type="hidden" name="_wpcf7" value="5510" tabindex="-1"><input type="hidden" name="_wp...`

Code snapshots of failed elements

1 `<form><span style="position: absolute !important; width: 1px !important; height: 1px !important; padding: 0px !important; overflow: hidden !important; clip: rect(0px, 0px, 0px, 0px) !important; border: 0px !important;" class="acsb-contrast">Please no...`

#	Element	Relevant	Successes	Failures	Score
30	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
33	The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
34	Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.	Yes	4	0	100

Code snapshots of successful elements

```
1 <div id="page" class="site" role="main"> <a class="skip-link screen-reader-t
ext role="button" data-custom-button-processed="true">Skip to content</a> <h
eader id="rbb-default-header" class="rbb-default-header header-2 lg:absolute
w-full z-20"> <div cl...
```

```
2 <section class="elementor-section elementor-top-section elementor-element el
ementor-element-62ab7ff elementor-section-full_width elementor-section-heigh
t-default data-element_type="section" data-settings="{&quot;background_backg
round&quot;:&quot;clas...
```

#	Element	Relevant	Successes	Failures	Score
35	Font sizes should be at least 12px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	Yes	209	21	91

Code snapshots of failed elements

- `<span class="wishlist-count text-center rounded-full">0</span>`
- `<span class="cart-count tracking-normal md:w-5 md:h-5 md:leading-[20px] w-[17px] h-[17px] leading-[17px] md:text-[0.6875rem] text-[0.625rem] absolute text-center rounded-full">0</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(97)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(108)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(326)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(493)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(92)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(207)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(66)</span>`
- `<span class="rating-count text-#[5e5e5e] font-medium ml-1 text-[10px]>(60)</span>`

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	230	0	100

#	Element	Relevant	Successes	Failures	Score
37	Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background.	Yes	155	0	100

Code snapshots of successful elements

1 `<div id="CybotCookiebotDialogBodyContentTitle" class="CybotCookiebotDialogBodyContentHeading" role="heading" aria-level="2" style=";background-color:#ffff!important;color:#000000!important;">This website uses cookies</div>`

2 `<div id="CybotCookiebotDialogBodyContentText" lang="en" class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">We use cookies to personalise content and ads, to provide social media features and to analyse our traf...`

3 `<strong class="CybotCookiebotDialogBodyLevelButtonDescription">Necessary</strong>`

4 `<strong class="CybotCookiebotDialogBodyLevelButtonDescription">Preferences</strong>`

5 `<strong class="CybotCookiebotDialogBodyLevelButtonDescription">Statistics</strong>`

6 `<strong class="CybotCookiebotDialogBodyLevelButtonDescription">Marketing</strong>`

7 `<a id="CybotCookiebotDialogBodyEdgeMoreDetailsLink" href="#" class="acsb-outline-contrast" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true" role="button">Show details</a>`

8 `<button id="CybotCookiebotDialogBodyLevelButtonAccept" class="CybotCookiebotDialogBodyButton" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">OK</button>`

9 `<span style="display: inline-block; vertical-align: middle;;background-color:#ffffff!important;color:#000000!important;" class="acsb-contrast"> Holiday Notice: Our team is on a short break. All shipments resume Friday Jan 2nd!</span>`

10

```
<a href="#" onclick="event.preventDefault(); document.getElementById('sliqu  
id-scheduled-notice').style.display = 'none';" style="undefined; position:  
absolute; top: 50%; right: 20px; transform: translateY(-50%); color: #fffff  
f; text-decoration: none;...
```

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is treating carousels as live regions using the "aria-live" attribute with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	No	0	0	

This audit is subject to the [Terms of Service](#)